

## PharmLabs San Diego Certificate of Analysis

3421 Hancock St, Second Floor, San Diego, CA 92110 | License: C8-000098-LIC  
ISO/IEC 17025:2017 Certification L17-427-1 | Accreditation #85368Sample **Astro Eight - HHC Cartridge - Black Mamba**

Sample ID	SD230111-001 (46572)	Matrix	Concentrate (Inhalable Cannabis Good)
Tested for	Astro 8		
Sampled	-	Received	Jan 10, 2022
Analyses executed	CAN14	Reported	Jan 11, 2022

Laboratory note : The sample highlighted in this COA contains three unidentified analytes believed to be isomers of HHC that were detected in the chromatogram. The concentration for total HHC is estimated to be 918 mg/g or 91.8%.

## CAN14 - Cannabinoids Analysis

Analyzed Jan 11, 2022 | Instrument HLPC

Analyte	LOD mg/g	LOQ mg/g	Result %	Result mg/g
Cannabidiol (CBD)	0.002	0.161	ND	ND
Cannabidiolic Acid (CBDA)	0.001	0.16	ND	ND
Cannabigerol Acid (CBGA)	0.001	0.16	ND	ND
Cannabidiol (CBD)	0.001	0.16	ND	ND
Cannabigerol (CBG)	0.001	0.16	ND	ND
Tetrahydrocannabivarin (THCV)	0.001	0.16	ND	ND
Cannabinol (CBN)	0.001	0.16	ND	ND
Tetrahydrocannabinol ( $\Delta^9$ -THC)	0.003	0.16	ND	ND
$\Delta^8$ -tetrahydrocannabinol ( $\Delta^8$ -THC)	0.004	0.16	ND	ND
(6aR,9S)- $\Delta^10$ -Tetrahydrocannabinol ((6aR,9S)- $\Delta^10$ )	0.13	0.42	ND	ND
(6aR,9R)- $\Delta^10$ -Tetrahydrocannabinol ((6aR,9R)- $\Delta^10$ )	0.12	0.39	ND	ND
Hexahydrocannabinol (HHC)			NT	NT
Cannabichromene (CBC)	0.002	0.16	ND	ND
Tetrahydrocannabinolic Acid (THCA)	0.001	0.16	ND	ND
THC-O-acetate (THC-O)	0.12	0.39	ND	ND
Total THC (THCa * 0.877 + THC)			ND	ND
Total CBD (CBDa * 0.877 + CBD)			ND	ND
Total CBG (CBGa * 0.877 + CBG)			2.65	26.50
TOTAL CANNABINOIDS			2.65	26.50

ND Not Detected  
N/A Not Applicable  
NT Not Reported  
LOD Limit of Detection  
LOQ Limit of Quantification  
<LOQ Detected  
>ULOL Above upper limit of linearity  
CFU/g Colony Forming Units per 1 gram  
TNTC Too Numerous to Count



Scan the QR code to  
verify authenticity.

Authorized Signature

Dr. Aaron Stanick, Laboratory Director  
Tue, 11 Jan 2022 19:33:05 -0800

PharmLabs San Diego | 3421 Hancock St, Second Floor, San Diego, CA 92110 | 619.356.0898 | ISO/IEC 17025:2017 Certification L17-427-1



\*This report shall not be reproduced except in full, without the written approval of the lab. This report is for informational purposes only and should not be used to diagnose, treat or prevent any disease. Results are only for samples and batches indicated. Results are reported on an "as received" basis, unless indicated otherwise. When a Pass/Fail status is reported, that status is intended to be in accordance with federal, state and local laws which are required for the customer to be in compliance. The measurement of uncertainty is not included in the Pass/Fail evaluation unless explicitly required by federal, state or local laws and has been reported on the certificate of analysis. Measurement of uncertainty is available upon request.